Best Practice Identification, Dissemination, and Implementation *Accelerating PIC Simulations on Multicore and Manycore Systems*

Principal Investigator: Prof. William Tang (<u>wtang@princeton.edu</u>) Lead Software Developer: Dr. Bei Wang (<u>beiwang@princeton.edu</u>)

Princeton Institute for Computational Science and Engineering Princeton University

Introduction

GTC-Princeton (GTC-P) → <u>highly scalable 3D particle-in-cell (PIC) code</u> used for studying micro-turbulence transport in fusion systems (tokamaks)
Successfully <u>ported and optimized on a wide range of multi-petaflops</u> platforms worldwide at full or near-full system capability: See (Figure 1)

• Code portability aided by fact GTC-P is <u>not critically</u> <u>dependent on any third-party libraries.</u>



Why is GTC-P of significant general interest in HPC R&D ?




Figure 1: The GTC-P particle-in-cell (PIC) code has been ported to and optimized on a broad range of leading multi-petaflops supercomputers worldwide. Percentage indicates fraction of overall nodes utilized.



Recent GTC-P Success Story

The R&D approach in GTC-P involves *deployment of a representative modern multi-dimensional particle-in-cell (PIC) code on a large variety of world leading computational platforms*. We highlight various strategies employed to optimize performance, maximize parallelism, leverage accelerator technology, and enable portability across diverse architectures (See Figure 2)

- 2D domain decomposition plus particle decomposition for increasing scalability
- Choice of data layout for maximizing data reuse
- Hybrid Programming models
- Leveraging GPU and Xeon Phi accelerators
- Enabling Portability across different platforms








Figure 2: GTC-P code weak scaling performance using a fixed size problem per node across a wide variety of systems.



Objectives for PRAC: Services Provided

• <u>Overall Goal</u>: Leverage experiences and lessons learned from development of GTC-P on a variety of leading supercomputers worldwide (including NSF's "Blue Waters" and "Stampede") to contribute to all seven categories in the PAID program "Improvement Method Enabler (IMEs)".

• <u>Specific Focus</u>: Accumulate, create, and apply "best practices" for efforts in service of Blue Waters application teams in:

 \rightarrow Developing applications that effectively utilize multicore and Many-core systems, maintaining a <u>single code with appropriate interfaces</u> for multiple architectures;

→ Explore directives-enabled GPU kernels (e.g., using <u>Open ACC and/or</u> <u>OpenMP4</u>) to improve portability & share with BW-applications teams to help inform their work planning activities; and

 \rightarrow Lowering the threshold for efforts needed to <u>re-engineer BW-applications</u> to improve usage of accelerators/many-core.